

SHRI MATA VAISHNO DEVI SHRINE BOARD (SMVDSB), KATRA, JAMMU

<u>NOTICE INVITING EXPRESSION OF INTEREST (EOI) FROM COMPANIES /</u> MANUFACTURERS DEALING WITH HOSPITAL EQUIPMENTS AND RELATED ITEMS

EOI are invited on behalf of the Chairman, Shri Mata Vaishno Devi Shrine Board from reputed, specialized firms/agencies / manufacturers / suppliers for the following as listed below for Shri Mata Vaishno Devi Institute of Medical Excellence(under construction) at Kakryal,Katra,Jammu and Kashmir:-

- 1. Piped Medical Gases.
- 2. Modular Operation Theatre.
- 3. CSSD Equipments
- 4. Hospital Medical Furniture-General & Specialized.
- 5. Hospital Laundry Equipment
- 6. Hospital Laboratory and Blood Bank Equipments
- 7. Biomedical Equipments including Anesthesia Machines and various Monitors.
- 8. Radio Therapy Equipments.
- 9. Imaging Equipments.
- 10. Nursing Equipment and appliances.
- 11. Kitchen equipment.
- 12. Ambulances

The details of submission and broad eligibility criteria etc. can be viewed/ downloaded from the website of Shri Mata Vaishno Devi Shrine Board i.e. www.maavaishnodevi.org or before 4.00PM on 3rd March, 2008.

Sd/
Asstt. Chief Executive Officer (RS)
SMVDSB, Katra

No: Co/Dev/306/1218 Date:-20-02-2008



SHRI MATA VAISHNO DEVI SHRINE BOARD (SMVDSB), KATRA, JAMMU NOTICE INVITING EXPRESSION OF INTEREST FROM COMPANIES / MANUFACTURERS DEALING WITH HOSPITAL EQUIPMENTS AND RELATED ITEMS

EOI are invited on behalf of the Chairman, Shri Mata Vaishno Devi Shrine Board from reputed, specialized firms / agencies/ manufacturers / suppliers for the following as listed below. The broad eligibility criteria have been mentioned alongside.

Background: The Shri Mata Vaishno Devi Shrine Board is setting up a multispeciality hospital at (Under Construction) at Kakryal, Katra, Jammu & Kashmir in 3 phases. The first phase is a 200 bed cancer hospital. The Institute on completion of all three phases would have approximately 700 beds.

NAME OF WORK: Supply, installation, testing & commissioning, procurement and or turnkey installation as applicable for the under mentioned items.

The EOI submitted should adequately and unambiguously describe the range of products, their features, experience and methodology for the supply, installation of the equipment and associated works under request and as applicable. Necessary documents authenticating the claims made as per the eligibility criteria should be enclosed with the EOI.

0.11		Elian On I
S. No.	Category	Eligibility Criteria
1	Piped Medical Gases	 The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Medical Gas pipeline installations and servicing. The company should have been successfully installed and commissioned minimum of 3 similar turnkey installations of value Rs.2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. The Minimum average turnover for the last three years should be Rs. 5 Crores The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
2	Modular Operation Theaters	1. The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Modular OT manufacture, supply and installations 2. The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs. 1 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. 3. The Minimum average turnover for the last three years should be Rs. 3 Crores 4. The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
3	CSSD Equipments	1. The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of CSSD equipment supply and

	I	
		installations 2. The company should have been successfully installed and commissioned minimum of 3 similar turnkey installations of value Rs.1 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital 3. The Minimum average turnover for the last three years should be Rs. 2 Crores 4. The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
4	Hospital Medical Furniture- General & Specialized	1. The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Hospital Medical Furniture manufacture and supply. 2. The company should have been successfully supplied minimum of 3 similar projects with equipments of value Rs.2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. 3. The Minimum average turnover for the last three years should be Rs. 5 Crores 4. The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
5	Hospital laundry equipment	The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Hospital laundry equipment supply and installations The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs.1 Crore and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. The Minimum average turnover for the last three years should be Rs. 5 Crores The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
6	Hospital Laboratory and Blood Bank Equipments	The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Hospital Laboratory and Blood Bank Equipments manufacture and supply The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs.2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. The Minimum average turnover for the last three years should be Rs. 5 Crores The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
7	Biomedical Equipments including Anesthesia Machines and Various Monitors	 The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Biomedical Equipments supply and installations The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs.2 Crores and above in hospitals of 200 beds and above in the private and or

Expression of Interest - Hospital Equipments

		government sector in India in past five years. They should furnish the
		performance certificate towards satisfactory installations and performance from the client hospital. 3. The Minimum average turnover for the last three years should
		be Rs. 5 Crores
		 The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
8	Radio Therapy Equipments	 The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Radio Therapy Equipments manufacture and installations. The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs.2 Crores and
		above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. 3. The Minimum average turnover for the last three years should
		be Rs. 5 Crores 4. The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
9	Imaging Equipments	1. The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of Imaging Equipments manufacture and installations.
		2. The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs. 2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and
		performance from the client hospital. 3. The Minimum average turnover for the last three years should be Rs. 15 Crores
		 The Company should not have been blacklisted in any Government or private organization and a self certificate to the same effect be submitted.
10	Nursing equipment and appliances	1. The Company should have been in existence for minimum 5 years as on 1st October 2007 in the field of manufacture and supply of Nursing equipment and appliances
		2. The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs. 2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital.
		The Minimum average annual turnover for the last three years should be Rs. 5 Crores The Company should not have been blacklisted in any
11	Kitchon aguinment	Government or private organization and a self certificate to the same effect be submitted.
11	Kitchen equipment	 The Company should have been in existence for minimum 5 years in the field of Kitchen equipment supply and installations The company should have been successfully commissioned minimum of 3 similar turnkey installations of value Rs.2 Crores and above in hospitals of 200 beds and above in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. The Minimum average annual turnover for the last three years
		should be Rs. 5 Crores

Expression of Interest - Hospital Equipments

		4. The Company should not have been blacklisted in any
		Government or private organization and a self certificate to the same
		effect be submitted.
12	Ambulances	1. The Company should have been in existence for minimum 5 years in the field of manufacture and supply of Ambulances as on 1st October 2007 2. The company should have been successfully commissioned minimum of 3 similar turnkey installations and supply of value Rs.25 lakhs and above for hospitals in the private and or government sector in India in past five years. They should furnish the performance certificate towards satisfactory installations and performance from the client hospital. 3. The Minimum average annual turnover for the last three years should be Rs. 1 Crore 4. The Company should not have been blacklisted in any Government or private organization and a self certificate to the same
		effect be submitted.

The Tender Documents will be provided to Firms short listed from the response received through this Expression of Interest. These Firms would be intimated on the address / telephone number provided in the Expression of Interest document.

The EOI complete in all respects must be sent through speed post / registered A.D. / reputed courier so as to reach the office of Shri Mata Vaishno Devi Shrine Board, Delhi Office, 103-Ground Floor, World Trade Centre, Babar Road New Delhi-110001 addressed to The Assistant Chief Executive Officer (RS), Central Office Shri Mata Vaishno Devi Shrine Board, Katra latest by or before 3:00 PM on 16 Feb 2008. EOI can also be put in the sealed box available in Central Office, SMVDSB at Katra. The document should be sealed & superscripted as "EOI for (Respective name of work)". Conditional, illegible, ambiguous EOI or those received after the stipulated date and time shall be out-rightly rejected.

Sd/ Assistant Chief Executive Officer (RS) SMVDSB, Katra

No: - Co/Dev/306/1218 Date:-20-02-2008